




## Technical Note N°2 - Pre 62' E Type / Period E

### Specific technical regulations 2017

V1 – 11-09-16

	Period E – FIA Form 34	Notes
Minimum weight	1118kg	Maximum ballast 30kg
Wheels diameter	5 ½ FR – 5 ½ RE – Wire wheels only	Maximum 15in
Brakes/Calipers	Standard 2 pistons Dunlop MK2	<ul style="list-style-type: none"> <li>• <b>FR</b> 53.9mm (2 1/8inch)</li> <li>• <b>RE</b> 44.45mm (1 ¾ inch)</li> </ul>
Front Disc Brake Diameter	279mm	Non ventilated solid discs
Rear Disc Brake Diameter	254mm	Non ventilated solid discs
Maximum front track	127cm	
Maximum rear track	129,5cm	
Ground clearance/ Ride height	100mm	Art. 4.6 Sixties' Endurance Regulation
Maximum capacity / Stroke	3885cc / 106mm	
Intake	3 x SU HD8	
Ignition	Contact breaker/coil, mechanical Advance retard only	Electronic ignition are forbidden
Heads	Standard straight head	
Engine bloc material	Cast iron	Aluminium forbidden
Gearbox	Moss or Jaguar 4 speed	<ul style="list-style-type: none"> <li>• Helical-toothed gears only, operational synchromesh</li> <li>• ZF 5 speed are forbidden</li> </ul>
Dampers	Steel non adjustable non threaded dampers	Alloy dampers are forbidden
Exhaust manifolds	Must comply with the original design	See picture page 2
Differential	steel Salisbury	Discs self locking only
Rear axle material	Cast iron	Alloy/Magnesium are forbidden
Gearbox material	Cast iron	Alloy/Magnesium are forbidden
Bodywork	Steel	

**Dunlop Mk2 Caliper**



**Exhaust Manifold**

